

## OsStic® Bibliography

Andersen OZ, Bellón B, Lamkaouchi M, Brunelli M, Wei Q, Procter P, Pippenger BE. *Determining primary stability for adhesively stabilized dental implants*. Clin Oral Investig. 2023 Jul;27(7):3741-3748. doi: 10.1007/s00784-023-04990-8. Epub 2023 Jun 3. PMID: 37269339; PMCID: PMC10329622

**Link:** <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10329622/>

Bojan AJ, Stadelmann VA, Wu D, Pujari-Palmer M, Insley G, Sundh D, et al. *A new bone adhesive candidate- does it work in human bone? An ex-vivo preclinical evaluation in fresh human osteoporotic femoral head bone*. Injury. (2022) 53:1858–66. doi: 10.1016/j.injury.2022.04.007

**Link:** [https://www.injuryjournal.com/article/S0020-1383\(22\)00281-9/fulltext](https://www.injuryjournal.com/article/S0020-1383(22)00281-9/fulltext)

Bystrom JL, Pujari-Palmer M (2019) *Phosphoserine functionalized cements preserve metastable phases, and reprecipitate octacalcium phosphate, hydroxyapatite, dicalcium phosphate, and amorphous calcium phosphate, during degradation, in vitro*. J Funct Biomater 10(4):54

**Link:** <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6963472/>

Hulsart-Billström G, Stelzl C, Procter P, Pujari-Palmer M, Insley G, Engqvist H, et al. *In vivo safety assessment of a bio-inspired bone adhesive*. J Mater Sci-Mater M. (2020) 31:24. doi: 10.1007/s10856-020-6362-3

**Link:** <https://link.springer.com/article/10.1007/s10856-020-6362-3>

Liu, X.; Pujari-Palmer, M.; Wenner, D.; Procter, P.; Insley, G.; Engqvist, H. *Adhesive cements that bond soft tissue ex vivo*. Materials 2019, 12, 2473. [CrossRef]

**Link:** <https://www.mdpi.com/1996-1944/12/15/2473>

Lundin TPO, Pujari-Palmer M, Svensson G, Höglund OV. *Canine ex vivo tarsal arthrodesis: fixation by using a new bone tissue glue*. Front Vet Sci. 2023 Sep 20;10:1250147. doi: 10.3389/fvets.2023.1250147. PMID: 37799403; PMCID: PMC10548131.

**Link:** <https://www.frontiersin.org/articles/10.3389/fvets.2023.1250147/full>

Procter P, Pujari-Palmer M, Hulsart-Billström G, Wenner D, Insley G, Larsson S, et al. *A biomechanical test model for evaluating osseous and osteochondral tissue adhesives*. BMC Biomed Eng. (2019) 1:11. doi: 10.1186/s42490-019-0011-2

**Link:** <https://bmcbiomedeng.biomedcentral.com/articles/10.1186/s42490-019-0011-2>

Pujari-Palmer M, Giró R, Procter P, Bojan A, Insley G, Engqvist H. *Factors that determine the adhesive strength in a bioinspired bone tissue adhesive*. Chem Eng. (2020) 4:1–19. doi: 10.3390/chemengineering4010019

**Link:** <https://www.mdpi.com/2305-7084/4/1/19>

## OsStic® Bibliography (continued)

Pujari-Palmer M, Guo H, Wenner D, Autefage H, Spicer CD, Stevens MM, et al. *A novel class of injectable bioceramics that glue tissues and biomaterials*. *Materials*. (2018) 11:1–15. doi: 10.3390/ma11122492

[Link: https://www.mdpi.com/1996-1944/11/12/2492](https://www.mdpi.com/1996-1944/11/12/2492)

Pujari-Palmer M, Robo C, Persson C, Procter P, Engqvist H. *Influence of cement compressive strength and porosity on augmentation performance in a model of orthopedic screw pull-out*. *J Mech Behav Biomed*. (2018) 77:624–33. doi: 10.1016/j.jmbbm.2017.10.016

[Link: https://www.sciencedirect.com/science/article/abs/pii/S1751616117304447?via%3Dihub](https://www.sciencedirect.com/science/article/abs/pii/S1751616117304447?via%3Dihub)

Russell TA, Insley G. *Bone Substitute Materials and Minimally Invasive Surgery: A Convergence of Fracture Treatment for Compromised Bone*. *Orthop Clin North Am*. 2017 Jul;48(3):289-300. doi: 10.1016/j.ocl.2017.03.003. PMID: 28577778.

[Link: https://linkinghub.elsevier.com/retrieve/pii/S0030-5898\(17\)30038-X](https://linkinghub.elsevier.com/retrieve/pii/S0030-5898(17)30038-X)

Spicer CD, Pujari-Palmer M, Autefage H, Insley G, Procter P, Engqvist H, et al. *Synthesis of phospho-amino acid analogues as tissue adhesive cement additives*. *ACS Cent Sci* 2020;6:226–31 .

[Link: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7047273/](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7047273/)

Tzagiollari A, McCarthy HO, Levingstone TJ, Dunne NJ. *Biodegradable and Biocompatible Adhesives for the Effective Stabilisation, Repair and Regeneration of Bone*. *Bioengineering (Basel)*. 2022 Jun 10;9(6):250. doi: 10.3390/bioengineering9060250. PMID: 35735493; PMCID: PMC9219717.

[Link: https://www.mdpi.com/2306-5354/9/6/250](https://www.mdpi.com/2306-5354/9/6/250)

Tzagiollari A., Insley G. , Kelly D., Procter P. , McCarthy H.O., Levingstone T.J., Dunne N. *Bioresorbable and Biomimetic Adhesives for Bone Repair and Regeneration*. ESB Conference, 2021. [Online Poster]

Tzagiollari A., Insley G., Procter P., Pippenger BE, Andersen OZ, McCarthy H.O., Levingstone T.J., Dunne N. *Bioinspired Adhesive for Bone Stabilization and Regeneration*. ORS Conference, 2023. [Poster].

Wu, Dan & Pujari-Palmer, Michael & Bojan, Alicja & Palmquist, Anders & Procter, Philip & Öhman, Caroline & Ferguson, Stephen & Isaksson, Per & Persson, Cecilia. (2020). *The effect of two types of resorbable augmentation materials – a cement and an adhesive – on the screw pullout resistance in human trabecular bone*. *Journal of the Mechanical Behavior of Biomedical Materials*. 103897. 10.1016/j.jmbbm.2020.103897.

[Link: https://www.sciencedirect.com/science/article/pii/S1751616120304513?via%3Dihub](https://www.sciencedirect.com/science/article/pii/S1751616120304513?via%3Dihub)